



VENTO ACCESSORIES

*Wide range of configuration and
accessory variants for all VENTO models.*


①



②




③



④



⑤



⑥




⑦



⑧



⑨



⑩



⑪



⑫



⑬




⑭



⑮



| | | |
|---|--------------------------------------|--|
| ① | PANORAMA SIDE WALL | for all VENTO types; 40 mm thick; outside: ABS; inside 2K PU foam; 24 mm thick double-glazed safety glass |
| ② | SIDE WALL INTERNALLY MIRRORED | for all VENTO types, 5 mm toughened safety glass, available in various colours |
| ③ | SIDE WALL SOLID | for all VENTO types, available in various colours |
| ④ | GLASS PARTITION | for all VENTO types, to separate existing refrigerated cabinets and newly installed AHT Multideck cabinets with safety glass for better visibility |
| ⑤ | PARTITION | for all VENTO types, to separate existing refrigerated cabinets and newly installed AHT Multideck cabinets |
| ⑥ | PARTITION | for all VENTO types, perspex to separate product groups within a Multideck cabinet |
| ⑦ | SHELF (WITH SUPPORTS) | Normal: 150 kg/m ² , heavy-duty 250 kg/m ² ; width: 250 mm, Depths: 300, 400, 500, 600 mm; Angle: 0°, 8°, 15°, 20°, 30°, 35°, 40° – customised adaptation possible |
| ⑧ | SHELF LIGHTING | LED standard colour temperatures: 3000K (RT076), 4000K, 5000K; |
| ⑨ | SCANNER PRICE RAIL | for price labelling on shelves or foot panel; plastic; clip-in, self-adhesive; heights: 40 mm, 60 mm; transparent & tinted |
| ⑩ | BUMPER | for protection of the foot panel; plastic, several colours |
| ⑪ | CEILING MIRROR | 4 mm toughened safety glass; insulated on back; suitable for refrigeration class S1 |
| ⑫ | DIVIDERS | to separate goods; made of sheet metal, wire or plastic |
| ⑬ | MERCHANDISE STOPPERS | to restrain goods presented at an angle; made of sheet metal, wire or plastic |
| ⑭ | MARKET LIGHT BOX | connects the VENTO refrigerated shelves to the store's lighting control system. The light and roller shutter of the Vento are controlled via this interface. |
| ⑮ | DEFROST WATER PUMP | an alternative to an on-site drain via which the defrost water can flow away. It ensures that the defrost water is automatically pumped off. |



Retrofit kits

16



17



18



16 HINGED GLASS DOOR RETROFIT KIT

- _ Retrofit kit for open refrigerated shelves to save energy and extend the temperature range to S1 (minced meat)
- _ Complete with head panel, foot panel, hinges, doors and handles for lengths 178, 250 and 375
- _ Retrofit solutions for existing refrigerated cabinets on request

17 GLASS SLIDING DOOR RETROFIT KIT

- _ Retrofit kit for open refrigerated shelves to save energy and extend the temperature range to M0 (packed meat, sausage)
- _ Can also be pushed to the side – even beyond the ends of the shelves (for quick filling); complete with head panel, foot panel, hinges, doors and handles for lengths 178, 250 and 375
- _ Retrofit solutions for existing refrigerated cabinets on request

18 HINGED PLASTIC DOOR RETROFIT KIT

- _ Retrofit kit for open refrigerated shelves for maximum energy savings
- _ Strong and sturdy with high impact resistance. For VENTO Multideck and VENTO Roll-in Multideck. Retrofit solution for existing refrigerated cabinets on request
- _ Complete with head panel, foot panel, hinges, doors and handles for lengths 178, 250 and 375